

GROPRO

BIO-SWEET

0-13-5

GUARANTEED ANALYSIS

Available Phosphate (P_2O_5)	13.00%
Soluble Potash (K_2O)	5.00%
Magnesium (Mg)	0.50%
0.50% Water Soluble Magnesium (Mg)	
Sulfur (S)	1.00%
1.00% Combined Sulfur (S)	
Boron (B)	0.05%
Copper (Cu)	0.05%
0.05% Water Soluble Copper (Cu)	
Zinc (Zn)	0.15%
0.15% Water Soluble Zinc (Zn)	

Derived From: Ammonium Molybdate, Boric Acid, Copper Sulfate, Magnesium Sulfate, Phosphoric Acid, Potassium Chloride, Potassium Phosphate, Zinc Sulfate.

Information regarding the contents and levels of metals in this product is available on the Internet at:
www.aapfco.org/metals.htm

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel for Precautionary Statements



GHS07

LOT#:

NET CONTENTS:

■ 320 fl. oz.

(9463.53 mL)

■ 3840 fl. oz.

(113562 mL)

■ 337921 fl. oz.

(999349 mL)

MANUFACTURED BY:

GROPRO

12600 West Frontage Road,
Burnsville MN 55337

Phone: 1-833-476-7761
www.groproag.com

BIO-SWEET is a liquid fertilizer containing macro, secondary, and micronutrients formulated to be easily assimilated by plants. Some of these key elements are known to enhance the production of fructose in fruits and phytonutrients, such as flavonoids & phenols, in vegetables. BIO-SWEET's unique blend of phosphorus, potassium, and trace elements supply the necessary nutrients at the time of fruit setting and pre-harvesting to develop strong fruits and robust vegetables.

DIRECTIONS FOR APPLICATION

CULTURE	APPLICATION RATES	DILUTION RATIOS	FOLIAR SPRAY	TIMING & FREQUENCY
Fruit Trees of pip & stone	3.8 – 7.6 mL/ 1 gal 12.8 – 25.6 oz/ 100 gal	1:1,000 – 1:500	9.5 – 14.5 mL/ 1,000ft ² 416 – 625 mL/ Acre 1 – 1.5 L/ Ha	Make 1 – 2 applications during the time of flowering
Fruits, Peppers, Tomatoes, etc.	3.8 – 7.6 mL/ 1 gal 12.8 – 25.6 oz/ 100 gal	1:1,000 – 1:500		Make 1 – 2 applications during the time of flowering
Cultivation in general	3.8 – 7.6 mL/ 1 gal 12.8 – 25.6 oz/ 100 gal	1:1,000 – 1:500		Make 1 – 2 applications during the time of flowering

MIX RATE

The mix rate for BIO-SWEET is 7.6 mL (1 ½ Tsp.) per 1 Gallon of water that should only be applied as a foliar spray.

Best land management practices should be used at all times with any fertilizer; this material should be prevented from entering public or private water supplies (including wells) and any lake, stream, or river.

Information about the components of this lot of fertilizer may be obtained by writing to GROPRO INC, and giving the lot number which is found on the container. Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>

Contents Made In South Korea

MANUFACTURED By GROPRO INC.